

SUMMIT SPRINKLER 2023





































Summit Supply

We are a third-generation family-owned company established in 1979. We are proud to be the best in the world at customer service and problem solving! Our team at Summit Supply is always willing to learn a new product. Having a strong work ethic, taking initiative and understanding the value of our good reputation is why we succeed at being the best. Our team is reliable and you will find that whenever you need a question answered, we will be here for you, helping you succeed!

Summit Supply's Culture Traits

1. Willingness to Learn.
2. Take Initiative.
3. Solid Work Ethic.
4. Understand the Value.
of our Reputation.
5. Reliabilty.



Our culture is our brand. We value our well earned reputation as problem solvers. That is the business we are in. No matter the obstacle, we will get you options for your next project, without the hassle of logistics. We take care of it all, even after the sale. You will deal with the same account managers who know your town, school or project, and we will be there for you when the time comes. Our superior reputation and reliability is why you can put your trust in the team at Summit Supply.

Summit Supply Manufacturing

We take pride in our service and the quality of our workmanship and instill that to each member of our company. Along with knowledge and over 50+ years of combined experience, Summit Supply Manufacturing is our pride and joy. With impeccable precision and attention to detail, Summit Supply will always stand behind it's work.







Made in the **USA** Durango, Colorado







We are a small family business with a very tight family-like crew. We all enjoy working hard and laughing with each other. We hope to carry that joy of our job to each of you.

WHAT IS ONLINE AT WWW.SUMMITSUPPLYCOLO.COM

PLAYGROUND EQUIPMENT

Adult Fitness Climbing Structures Outdoor Music

Playground Parts & Accessories

Play Structures Spring Riders

SWINGS

Complete Swing Sets Swing and Tire Swing Parts Swing Seats

Wheelchair/ADA Accessible Ramp & **Playground Timbers**

FIELD SPORTS Baseball Bases

> Fence Guards Field Drag Mats

Baseball Backstops & Batting Cages

Bleachers

Football

Goalposts Lacrosse & Field Hockey Soccer Equipment

Track Liners Field Stencils

COURT SPORTS

Basketball Tennis Equipment

Volleyball Equipment

SITE AMENITIES

Benches Frames

Bench & Tables

Frames by Collection

Bike Racks

Concrete Site Furnishings Drinking Fountains

Dogipot Pet Stations & Dog Park

Flags and Flagpoles

Grills & Hot Coal Bins Message Centers

Parking Stops & Easy Reachers **Recycled Plastic Site Furnishings**

Shade

Bleacher Sunshades

Umbrellas

Toilet Paper Dispensers & Changing Stations

Tables Frames

Trash Receptacles

SUMMIT SUPPLY WATER AND IRRIGATION SYSTEMS

Sprinkler Stands **Hose Reel Carts**

Irripod's

Sprinkler Parts

Terms and Conditions of Sale Due to volatile prices in the supply chain of our products, prices are subject to change without notice.

To Order: Orders can be placed by phone, email or fax. All prices are FOB Durango, Colorado or manufacturer unless otherwise indicated.

Current prices apply at time of shipment unless otherwise quoted. Catalog prices are subject to change without notice.

Net 30 days from date of invoice to park and recreation departments, schools and other government agencies. For private Terms:

organizations we accept prepayment by all major credit cards or check. A 2% per month finance charge will be imposed on

all invoices 30 days past the original due date.

Freight: We ship freight prepaid and add the shipping charges to your invoice unless otherwise agreed. We ship the most convenient and

cost-effective way for our customers. All weights listed in catalog are approximate.

Please note that credit card orders will be charged at the time of order placement.

PRODUCT RETURNS

To return products, you must obtain advanced authorization from Summit Supply.

We cannot accept returned merchandise without advanced authorization. A 25% re-stocking fee and return shipping costs are the responsibility of the customer. Summit Supply will not accept returns for products more than one month past their invoice date.

Contractual liability and Contingent liability is specifically excluded on all sales by Summit Supply Corp. of CO.

IMPORTANT MESSAGE: RECEIPT OF SHIPMENT IS CUSTOMER RESPONSIBILITY!

Before signing for your order, check to see that you are receiving the same number of cartons, bundles, welded frames, etc. indicated on the bill of lading. The truck driver must provide this when he makes the delivery. Note any shortages or visible damage on your bill of lading and have the truck driver note these also.

Please inspect your shipment carefully. Damage which is found after you unpack your shipment (concealed damage) must be reported to Summit Supply <u>immediately</u> so that we can assist you in recovering damages and replacements. Most freight companies allow 3 days from receipt to report concealed damage.

If you discover damage of any kind, do not destroy the original shipping cartons.

Otherwise we can assume no responsibility.



MODEL GS-120

11/4" sprinkler stand with a 1" sprinkler head 17 GPM at 40 PSI will give you a 120' diameter. 1 1/2" female camlock for feed line.

GS-120 WITH FULL CIRCLE SPRINKLER HEAD

GS-120 WITH PART CIRCLE SPRINKLER HEAD



11/2" flow thru sprinkler stand with a 1" sprinkler head. 17 GPM at 40 PSI will give you a 120' diameter.

*must specify fittings

FT-120 WITH FULL CIRCLE SPRINKLER HEAD \$325 FT-120 WITH PART CIRCLE SPRINKLER HEAD

MODEL FT-160

11/2" flow thru sprinkler stand with a 1-1/4" sprinkler head. 37 GPM at 65 PSI will give you a 160' diameter.

*must specify fittings

FT-160 WITH FULL CIRCLE SPRINKLER HEAD \$490 FT-160 WITH PART CIRCLE SPRINKLER HEAD \$540

SPRINKLER STANDS AND FLOW THRUS



JVK-LGRS LITTLE GIANT ROLLING SPRINKLER

R33 rotator sprinkler head 7 gpm at 40 PSI will give you a 90' diameter full circle spray -3/4" garden hose thread feed line *must use 3/4" garden hose- minimum.

LGRS LITTLE GIANT \$68 **MODEL GS-90**

1" feed line sprinkler stand with a 3/4" sprinkler head. 7 GPM at 40 PSI will give you a 90' diameter.

1" female camlock for feed line.

GS-90 WITH FULL CIRCLE SPRINKLER HEAD \$90

GS-90 WITH PART CIRCLE SPRINKLER HEAD \$131



HOSE REELS





TOWABLE HOSE REEL TRAILER

MODEL JVK-THSC

Summit's self-contained hose reel trailer offers a fresh, clean design and sturdy construction that makes handling the water hose on golf courses and other ground maintenance applications easier, quicker and more convenient.

No need to have a dedicated maintenance vehicle for a water hose or reel. Simply park the trailer when not in use. Pin and clevis type hitch easily mounts to most maintenance (work) vehicles

MODEL JVK-THSC

\$1,625

HOSE STORAGE CAPACITY
UP TO 700' OF 11/2" FLAT HOSE

Portable hose storage for:

- Industrial maintenance
- Construction
- Agriculture
- Grounds Maintenance

HOSE STORAGE CART

MODEL JVK-HSC Hose Storage Cart

These hose storage carts are manufactured by Summit Supply using only the finest materials. With an eye bolt brake, hand crank and long lasting HDPE bushings, these units will provide years of problem free service.







MODEL JVK-HSC HOSE SOLD SEPARATELY

Hose Storage Cart Capacity: 400' of 3/4" I.D. Round Hose 200' of 1" I.D. Round Hose 300' of 11/2" I.D. Flat Hose

AT-1200 PORTABLE HOSE STORAGE CART

With this portable reel you get to and from the job fast. Pickup and storage are quick and neat, keeping hose safely out of the way while minimizing wear and tear. Model AT1200-standard inlet has a 90 degree balance pressure swivel joint with 1" female NPT threads. Other sizes and threads, including

male GHT threads, can be furnished and must be specified. Add GH to model number when ordering garden hose thread, e.g. GHAT1200.

Standard finish is silver *HOSE NOT INCLUDED

\$705




HOSE CAPACITY ON REEL

	REEL	REEL CAPACITY (ft / lbs)			REEL DIMENSIONS (Inches)						
MODEL	Size	Length	Weight	A	В	С	D	E	F	G	н
AT1200	1/2 ID	350	86	24,88	11.5	8	23.31	22.75	27.25	40	17.25
AT1200	5/8 ID	250	86	24.88	11.5	8	23.31	22.75	27.25	40	17.25
AT1200	3/4 ID	150	86	24.88	11.5	8	23.31	22,75	27.25	40	17.25
AT1200	110	100	86	24.88	11.5	8	23.31	22.75	27.25	40	17.25

These direct-crank rewind reels are equipped with pneumatic tires, and removable steel handlebar. A spring drag device is used to brake the reel.

GROUNDS MAINTENANCE / RESTAURANTS / HOTELS / WASHDOWN OPERATIONS / CONSTRUCTION / GREENHOUSE USE



*HOSE NOT INCLUDED



YOU
CAN RUN
WATER
THROUGH
THE HOSE
WHILE ON
THE REEL

M2-400

THE M2-400 IS THE ONLY CHOICE WHEN YOU NEED THE EASIEST, MOST EFFICIENT SOLUTION FOR SPRINKLING LARGE GRASSY AREAS. MANUFACTURED BY SUMMIT SUPPLY.

- With 400 feet of 11/2" hose, the M2-400 Hose Reel Sprinkler fits in very nicely where budgets are not large enough to include installed irrigation systems.
- Moves are 100 foot at a time for overlapping
- Large 160 foot diameter sprinkled circle @ 65 PSI with 37 GPM.
- Light weight and easy to handle, it can be taken in and stored at night to prevent vandalism.
- Hose Reel Sprinklers can be operated from your existing water system, from a fire hydrant or from a pond or stream with a gasoline or electric pump. Water line size in your existing system should be 11/2" minimum.
- Standard adapters are available to attach to all types of water connections.

\$1,999

EASY TO USE Baseball Fields - Football Fields • Golf Courses • Parks • Cemeteries • Horse Arenas - Soccer Fields -Softball Fields







- EASILY LOADED PORTABLE AT ONLY 160 POUNDS
- ELIMINATE VANDALISM BY KEEPING IT INSIDE AT NIGHT.

ACCESSORIES



MODEL A-1 11/2" THREAD VALVE QUICK COUPLER PACKAGE screws into any 11/2" pipe thread.



MODEL FHW FIRE HYDRANT WRENCH \$44



MODEL N-1 FIRE HOSE NOZZLE WITH QUICK COUPLER PACKAGE FOR 11/2" HOSE.



MODEL F-1 FIRE HYDRANT ADAPTER WITH 11/2" SHUT OFF VALVE AND QUICK COUPLER PACKAGE FOR 11/2" HOSE. Adapts from 2 1/2" F.H.T. to 1 1/2" quick connect



With up to 1000 feet of 2 1/2" hose storage, The Magnum-1000 Sprinkler fits in very nicely where budgets are not large enough to include installed irrigation systems.

Big Gun Sprinkler- 302' diameter @ 70 PSI with 177 G.P.M. puts the water down right where you want it

Easy to use, 100' hose sections just snap it on and turn the water on.

The Magnum-1000 sprinkler can be operated from a fire hydrant. This nearly always has the desired pressure and G.P.M. to make the Magnum perform. If using your existing system, a 4" line is preferred.



Model #	Hose Length	
MAGNUM-1000	300'	\$4,400
MAGNUM-1000	400'	\$4,900
MAGNUM-1000	500'	\$5,400
MAGNUM-1000	600'	\$5,900
MAGNUM-1000	700'	\$6,600
MAGNUM-1000	800'	\$7,100
MAGNUM-1000	900'	\$7,800
MAGNUM-1000	1000'	\$8.300





THE MAGNUM-1000 WITH A #100 GUN & .85 NOZZLE AT 70 PSI COVERS A 302' DIAMETER. THIS GIVES AN EFFECTIVE APPLICATION RATE OF .27 INCHES PER HOUR OR ALMOST 1 INCH IN 3 HOURS.

Manufactured by Summit Supply.

MAGNUM-1000



MAGNUM-1000 STANDARD EQUIPMENT:

- 300 feet of hose with QC couplers
- 3 hose reels more can be added
- Ball bearing mounted reel
- Series 100 full circle Big Gun
- Outriggers to prevent "walking"
- Tension brake to prevent free spooling
- 2" ball hitch & tongue jack.
- 5" x 16" pneumatic tires & roller bearings.

ACCESSORIES



MODEL F-2

Fire Hydrant adapter with shut off valve and quick coupler package for 2 1/2" hose. Adapts from 2 1/2" F.H.T. to 2 1/2" N.P.T.



MODEL A-2

2 1/2" THREAD VALVE QUICK COUPLER PACKAGE screws into any 2 1/2" pipe thread in your system. \$119

9

AQUA MATE

Manufactured by Summit Supply.

- With up to 700 feet of 1 1/2" hose storage, the Aqua Mate fits in very nicely where budgets are not large enough to include installed irrigation systems
- Moves are 100 foot at a time for overlapping circles.
- Large 160 foot diameter sprinkler circles
 @ 65 PSI with 37 G.P.M.
- Easy to tow from field to field, and can be taken in and stored at night to prevent vandalism.
- Aqua Mate sprinklers can be operated from your existing water system, from a fire hydrant or from a pond or stream with a gasoline or electric pump. Water line size in your existing system should be 1 1/2" minimum.
- Standard adapters are available to attach to all types of water connections.







Model #					Price	
Aqua-Mate	400	(with	400 ft. of	f hose)	\$3,320)
Aqua-Mate	500	(with	500 ft. o	f hose)	\$3,590	,
Aqua-Mate	600	(with	600 ft. of	f hose)	\$3,860)
Aqua-Mate	700	(with	700 ft. of	hose)	\$4,130	



ACCESSORIES



FIRE HYDRANT ADAPTER WITH 11/2" SHUT OFF VALVE AND QUICK COUPLER PACKAGE FOR 11/2" HOSE. Adapts from 21/2" F.H.T. to 11/2" quick connect \$67

AQUA MATE

SOLVE ALL OF YOUR SPRINKLING PROBLEMS WITH SUMMIT SUPPLY'S WATER SOLUTIONS



EASY TO TOW FROM FIELD TO FIELD.





AQUA MATE
WITH (3)FT-120 FLOW-THRU SPRINKLERS SOLD SEPARATELY





MODEL FHW FIRE HYDRANT WRENCH \$44



MODEL A-1 11/2" THREAD VALVE QUICK COUPLER PACKAGE screws into any 11/2" pipe thread. \$42



MODEL N-1 FIRE HOSE NOZZLE WITH QUICK COUPLER PACKAGE FOR 11/2" HOSE. \$55

SPRINKLER HEADS



3/4" full circle sprinkler 7 GPM @ 40 PSI 90' diameter \$22



3/4" part circle sprinkler 7 GPM @ 40 PSI 90' diameter \$68



1" full circle sprinkler 17 GPM @ 40 PSI 120' diameter \$92



1" part circle sprinkler 17 GPM @ 40 PSI 120' diameter \$114



1-1/4" full circle sprinkler 37 GPM @ 65 PSI 160' diameter \$229



1-1/4" part circle sprinkler 37 GPM @ 65 PSI 160' diameter \$274



WE PRIDE OURSELVES
ON OUR COMMITMENT
TO FINDING THE MOST
COST EFFECTIVE
WATER SOLUTION FOR
OUR CUSTOMERS.
SUMMIT SUPPLY IS THE
ONLY STOP FOR YOUR
WATERING NEEDS.

PARTS

TYPE C	
Female Coupler	X Hose
Shank	
3/4"	15
1"	\$14
1 1/4"	\$17
1 1/2"	\$19
2"	\$21
2 1/2"	\$24
3"	\$34
4"	\$50

TYPE E				
Male Adapter X Hose				
Shank				
3/4"	\$8			
1"	\$8			
1 1/4"	\$12			
1 1/2"	\$10			
2"	\$13			
2 1/2"	\$20			
3"	\$22			
4"	\$46			

TYPE F	
Male Adapter X	Male
N.P.T.	
3/4"	\$9
1"	\$8
1 1/4"	\$12
1 1/2"	\$11
2"	\$14
2 1/2"	\$24
3"	\$26
4"	\$47

TYPE A	4
Male Adapter X	Female
N.P.T.	
3/4"	\$7
1"	\$6
1 1/4"	\$10
1 1/2"	\$8
2"	\$11
2 1/2"	\$18
3"	\$19
4"	\$44









TYPE D				
Female Coupler X				
Female N.P.T.				
3/4"	\$14			
1"	\$16			
1 1/4"	\$17			
1 1/2"	\$19			
2"	\$21			
2 1/2"	\$30			
3"	\$34			
4"	\$59			

TVDE DO	
TYPE DC	
Dust Cap	
3/4"	\$16
1"	\$14
1 1/4"	\$16
1 1/2"	\$17
2"	\$20
2 1/2"	\$23
3"	\$25
4"	\$37

TYPE DP	
Dust Plug	
3/4"	\$9
1"	\$9
1 1/4"	\$10
1 1/2"	\$10
2"	\$11
2 1/2"	\$15
3"	\$16
4"	\$24

Type B
Steel Plated Hose
Mender
1" \$4
11/4" \$5
11/2" \$5
2" \$7

























Hose Swivels

Part # HS-075 3/4" FPT x 3/4" MHT outlet
Part # HS-100 1" FPT x 3/4" MHT outlet
Part # HS-101 1" FPT x 1" MHT outlet
Part # HS-151 1-1/2" FPT x 1" MHT outlet

SOLD AS A PAIR

\$28

PLEASE CALL FOR PRICING

HOSE AND ACCESSORIES



MODEL A-1 11/2" THREAD VALVE QUICK COUPLER PACKAGE screws into any 1 1/2" pipe thread. \$42



MODEL N-1 FIRE HOSE NOZZLE WITH QUICK COUPLER PACKAGE FOR 11/2" HOSE. \$55



MODEL F-1 FIRE HYDRANT ADAPTER WITH 11/2" SHUT OFF VALVE AND QUICK COUPLER PACKAGE FOR 11/2" HOSE. Adapts from 2 1/2" F.H.T. to 1 1/2" quick connect \$67

MODEL F-2 FIRE HYDRANT ADAPTER WITH 2 1/2" SHUT OFF VALVE AND QUICK COUPLER PACKAGE FOR 11/2" HOSE. Adapts from 2 1/2" F.H.T. to 2 1/2" quick connect \$162



MODEL SN-66 6" BRASS SWEEPER NOZZLE Available in 3/4" x6 / 1" x 8 \$22



MODEL FHW FIRE HYDRANT WRENCH \$44



MODEL 102

1" MALE N.P.T. X 1" FEMALE G.H.T. SWIVEL

MODEL 109 11/2" HOSE 100 foot lengths only \$325




MODEL 104 MAGNUM 2 1/2" HOSE 100 foot lengths only



MODEL 107 1" REPLACEMENT HOSE with swivel ends or quick couplers 100' Length







TURBO SHIFT

DUAL VARIABLE FLOW: DELIVERS LIGHT FOG AND LOW VOLUME JET STREAM PATTERNS BEFORE SHIFTING TO HIGH VOLUME JET STREAM AND FAN PATTERNS. AVAILABLE WITH 3/4" OR 1" INLET.

> NG550-DFH-10 NG550-DFH-75 Low Volume Model: NG550-DFL-10 NG550-DFL-75

High Volume Model: Opens with 12-17 GPM, Turbo Shifts to 20-43 GPM. \$100 Magnum UltraMax Turbo Shift Nozzle 1" FHT \$100 Magnum UltraMax Turbo Shift Nozzle 3/4" FHT \$100 Opens with 7-12 GPM, Turbo Shifts to 14-17 GPM. \$100 Magnum UltraMax Turbo Shift Nozzle 1" FHT \$100 Magnum UltraMax Turbo Shift Nozzle 3/4" FHT



- Only 2 sets are needed to water a complete football field.
- Only needs 45 psi and 19 GPM per set
- Each pod will give 80' diameter
- Low sprinkler height means less wind draft and effective water distribution pattern.
- Mimics natural rainfall allowing for efficient soil absorption and less runoff
- Small droplet size means less soil compaction







IRRIPOD 5 IRRIGATION KIT Includes

- 300' of 1.5" Irripod tube,
- 5 pods,
- · 5 saddles,
- 5 sprinklers with 3 sets of nozzles each, and all fittings required.

All that is needed is a 1.5" MPT water supply connection.

IRRIPOD RANCH PACK


WITH ALL THE FITTINGS LISTED





Another brilliant feature is the towing capabilities. Attach Irripod's Tow Rope to any hitch and drag along coordinated routes.







Repair/replacement parts are available upon request



PRSRT STD US POSTAGE PAID WASECA, MN. PERMIT # 280

Catalog Number

